


317[®] Butterfly Valve

ISO 9001



TN330

T-ONE-S (MFG) TRADING INC.



Cat. Sep06

**CAST IRON BUTTERFLY VALVE
WAFFER TYPE LEVER OPERATED**

DISC: FCD45 STEM: SS410
BODY: FC25 SEAT: NBR/EPDM
CONN: JIS 10K, ANSI 150 LBS,
BS10 TABLE E, BS4504 PN10/PN16
SIZE: 1-1/2"~12"

MODEL: BF-26N



**CAST IRON BUTTERFLY VALVE
WAFFER TYPE LEVER OPERATED**

DISC: SS304 STEM: SUS304
BODY: FC25 SEAT: NBR/EPDM
CONN: JIS 10K, ANSI 150 LBS,
BS10 TABLE E, BS4504 PN10/PN16
SIZE: 1-1/2"~12"

MODEL: BF-26S



**CAST IRON BUTTERFLY VALVE
WAFFER TYPE LEVER OPERATED**

DISC: SS316 STEM: SUS316
BODY: FC25 SEAT: NBR/EPDM
CONN: JIS 10K, ANSI 150 LBS,
BS10 TABLE E, BS4504 PN10/PN16
SIZE: 1-1/2"~12"

MODEL: BF-26M



**CAST IRON BUTTERFLY VALVE
WAFFER TYPE GEAR OPERATED**

DISC: FCD45 STEM: SS410
BODY: FC25 SEAT: NBR/EPDM
CONN: JIS 10K, ANSI 150 LBS,
BS10 TABLE E, BS4504 PN10/PN16
SIZE: 1-1/2"~24"

MODEL: BF-28G



**CAST IRON BUTTERFLY VALVE
WAFFER TYPE GEAR OPERATED**

DISC: SS304 STEM: SUS304
BODY: FC25 SEAT: NBR/EPDM
CONN: JIS 10K, ANSI 150 LBS,
BS10 TABLE E, BS4504 PN10/PN16
SIZE: 1-1/2"~24"

MODEL: BF-28S



**CAST IRON BUTTERFLY VALVE
WAFFER TYPE GEAR OPERATED**

DISC: SS316 STEM: SUS316
BODY: FC25 SEAT: NBR/EPDM
CONN: JIS 10K, ANSI 150 LBS,
BS10 TABLE E, BS4504 PN10/PN16
SIZE: 1-1/2"~24"

MODEL: BF-28M



**ST.ST.304 BUTTERFLY VALVE
WAFFER TYPE LEVER OPERATED**

DISC: SS304 STEM: SUS304
BODY: SS304 SEAT: NBR/EPDM
CONN: JIS 10K, ANSI 150 LBS,
BS10 TABLE E, BS4504 PN10 / PN16
SIZE: 1-1/2"~12"

MODEL: BF-304-26S



**ST.ST.316 BUTTERFLY VALVE
WAFFER TYPE LEVER OPERATED**

DISC: SS316 STEM: SUS316
BODY: SS316 SEAT: NBR/EPDM
CONN: JIS 10K, ANSI 150 LBS,
BS10 TABLE E, BS4504 PN10 / PN16
SIZE: 1-1/2"~12"

MODEL: BF-316-26M



**ST.ST.304 BUTTERFLY VALVE
WAFFER TYPE GEAR OPERATED**

DISC: SS304 STEM: SUS304
BODY: SS304 SEAT: NBR/EPDM
CONN: JIS 10K, ANSI 150 LBS,
BS10 TABLE E, BS4504 PN10 / PN16
SIZE: 1-1/2"~24"

MODEL: BF-304-28S



ST.ST.316 BUTTERFLY VALVE WAFER TYPE GEAR OPERATED

DISC: SS316 STEM: SUS316
BODY: SS316 SEAT: NBR/EPDM
CONN: JIS 10K, ANSI 150 LBS,
BS10 TABLE E, BS4504 PN10 / PN16
SIZE: 1-1/2"~24"

MODEL: BF-316-28M



CAST IRON BUTTERFLY VALVE LUG TYPE LEVER OPERATED

DISC: FCD45 STEM: SS410
BODY: FC25 SEAT: NBR/EPDM
CONN: JIS 10K, ANSI 150 LBS,
BS10 TABLE E, BS4504 PN10 / PN16
SIZE: 1-1/2"~12"

MODEL: BF-26NL



CAST IRON BUTTERFLY VALVE LUG TYPE LEVER OPERATED

DISC: SS304 STEM: SUS304
BODY: FC25 SEAT: NBR/EPDM
CONN: JIS 10K, ANSI 150 LBS,
BS10 TABLE E, BS4504 PN10 / PN16
SIZE: 1-1/2"~12"

MODEL: BF-26SL



CAST IRON BUTTERFLY VALVE LUG TYPE LEVER OPERATED

DISC: SS316 STEM: SUS316
BODY: FC25 SEAT: NBR/EPDM
CONN: JIS 10K, ANSI 150 LBS,
BS10 TABLE E, BS4504 PN10 / PN16
SIZE: 1-1/2"~24"


MODEL: BF-26ML



CAST IRON BUTTERFLY VALVE LUG TYPE GEAR OPERATED

DISC: FCD45 STEM: SS410
BODY: FC25 SEAT: NBR/EPDM
CONN: JIS 10K, ANSI 150 LBS,
BS10 TABLE E, BS4504 PN10 / PN16
SIZE: 1-1/2"~24"


MODEL: BF-28GL



CAST IRON BUTTERFLY VALVE LUG TYPE GEAR OPERATED

DISC: SS304 STEM: SUS304
BODY: FC25 SEAT: NBR/EPDM
CONN: JIS 10K, ANSI 150 LBS,
BS10 TABLE E, BS4504 PN10 / PN16
SIZE: 1-1/2"~24"

MODEL: BF-28SL



CAST IRON BUTTERFLY VALVE LUG TYPE GEAR OPERATED

DISC: SS316 STEM: SUS316
BODY: FC25 SEAT: NBR/EPDM
CONN: JIS 10K, ANSI 150 LBS,
BS10 TABLE E, BS4504 PN10 / PN16
SIZE: 1-1/2"~24"

MODEL: BF-28ML



CAST STEEL BUTTERFLY VALVE WAFFER TYPE LEVER OPERATED

DISC: FCD45 STEM: SS410
BODY: WCB SEAT: NBR/EPDM
CONN: JIS 10K, ANSI 150 LBS,
BS10 TABLE E, BS4504 PN10 / PN16
SIZE: 1-1/2"~12"

MODEL: BF-WCB-26N



CAST STEEL BUTTERFLY VALVE WAFFER TYPE LEVER OPERATED

DISC: SS304 STEM: SUS304
BODY: WCB SEAT: NBR/EPDM
CONN: JIS 10K, ANSI 150 LBS,
BS10 TABLE E, BS4504 PN10 / PN16
SIZE: 1-1/2"~12"

MODEL: BF-WCB-26S



CAST STEEL BUTTERFLY VALVE WAFFER TYPE LEVER OPERATED

DISC: SS316 STEM: SUS316
BODY: WCB SEAT: NBR/EPDM
CONN: JIS 10K, ANSI 150 LBS,
BS10 TABLE E, BS4504 PN10 / PN16
SIZE: 1-1/2"~12"

MODEL: BF-WCB-26M



CAST STEEL BUTTERFLY VALVE WAFFER TYPE GEAR OPERATED

DISC: FCD45 STEM: SS410
BODY: WCB SEAT: NBR/EPDM
CONN: JIS 10K, ANSI 150 LBS,
BS10 TABLE E, BS4504 PN10 / PN16
SIZE: 1-1/2"~24"

MODEL: BF-WCB-28G



CAST STEEL BUTTERFLY VALVE WAFFER TYPE GEAR OPERATED

DISC: SS304 STEM: SUS304
BODY: WCB SEAT: NBR/EPDM
CONN: JIS 10K, ANSI 150 LBS,
BS10 TABLE E, BS4504 PN10 / PN16
SIZE: 1-1/2"~24"

MODEL: BF-WCB-28S



CAST STEEL BUTTERFLY VALVE WAFFER TYPE GEAR OPERATED

DISC: SS316 STEM: SUS316
BODY: WCB SEAT: NBR/EPDM
CONN: JIS 10K, ANSI 150 LBS,
BS10 TABLE E, BS4504 PN10 / PN16
SIZE: 1-1/2"~24"

MODEL: BF-WCB-28M

